
### 350/352 HIGH ROAD · LEYTON · LONDON · E10 6QQ · ENGLAND





BRITISH CHAMPION CHRIS PUSEY HOLDS ON TO A SLENDER LEAD OVER GRAHAM MILES - BOTH ON 500CC HAGON JAPS.

**SINCE 1956** 

23 NATIONAL CHAMPIONSHIPS

HAVE BEEN WON

ON HAGON MACHINES


### **ALF HAGON PRODUCTS**

#### THE FAMOUS HAGON JAP 1260CC DRAG BIKE

TESTBED FOR OUR EQUIPMENT WHICH HAS PROVED THE QUALITY AND RELIABILITY OF THE PRODUCTS THAT WE MAKE AND SELL.


OFFICIALLY TIMED AT 206 M.P.H.

F.I.M. WORLD RECORD HOLDER FOR THE STANDING START KILOMETRE, AND THE WORLDS FASTEST STANDING START 4 MILE - TIME 9.208 SPEED 157 M.P.H.



THE LAST 22 MEETINGS

9 am to 6 pm **MONDAY to SATURDAY** Lunch 1,-2pm



1971 CATALOGUE

### Introduction

#### We want to know?

If you have any ideas or suggestions to help us to improve our products, please let us know.

Also, let us know if you have any complaints on our equipment or service. Your help will be appreciated.

This Catalogue is a guide to the parts and equipment that we sell.

All our equipment and parts are tested throughly before we offer them for sale. All materials used are of the highest quality and are tested to an extremely high standard.

THIS IS YOUR SAFEGUARD!

#### **ALF HAGON PRODUCTS**

Are the recognised leaders in the field of grass track and drag racing featuring the most extensive range of products for these motor cycle sports.

ALF HAGON has contributed an enormous number of major achievements in the world of grass track and drag racing which has helped tremendously in the development and production of our equipment.

But, we are not content to sit on our laurels — And we will continue to explore and develop new products for the future.

Motor cycle enthusiasts — you can be assured that when you buy our products you get the very best in Quality, Performance, Reliability and Service. We are proud of our reputation for Value, Perfection and Honesty.

The nearest underground station is LEYTON which is on the Central Line. Turn right out of the station and we are approximately 400 yards along on the right hand side.

If by road — We are approximately 3 miles from the Blackwall Tunnel — or 2 miles from the North Circular A406.

### **Postal Spares Service**

#### THE WORLDS BEST! GRASSTRACK, SPRINTING, SPEEDWAY

GOODS WEIGHING UP TO 22 LB. CAN BE SENT BY G.P.O. TO YOUR DOOR.
C.O.D. MAXIMUM IS £50 – BUT WE CAN SEND ANY AMOUNT OF SEPARATE PARCELS.
CHARGES AT G.P.O. RATE.

PARCELS OVER 22 LB. WEIGHT CAN BE SENT BY B.R.S. B.R.S. ALSO DO A C.O.D. SERVICE. CHARGES AT B.R.S. RATE

#### DO YOU ORDER BY PHONE?

If so, we can put you on our customers list, we will then give you a reference No. this will save you and us, time and money. EXAMPLE Hello, this is Mr. J. Bond Reference No. 007, I would like to order — etc.

### GASH ON DELIVERY (BY RETURN POST) IS OUR SPECIALITY

SO! when ordering please state (A) Your name and postal address and code, (if any)

(B) Model — Year — Make and cc of machine (C) Catalogue reference, Size and Colour,

where applicable. Thank you.

**EXPORT** We can send goods to any part of the World — either by Post or Shipping Agents, by Sea or Air.

Items up to 22 lb. (10 Kilos) can be sent by Post. In many countries we can send goods C.O.D., but in some countries there is no C.O.D. Service available, in which case send CASH with ORDER, PLUS POSTAGE.

We can offer on Parcels over 22 lb. (10 Kilos) Complete Machines etc., is part C.O.D. i.e. Send only the money for the goods required and all Freight Charges are sent forward for you to pay on collection.

ALL PARTS are Plus Postage.

### The Mighty JAP POWER HOUSE 500 cc J.A.P. SPEEDWAY ENGINE (TYPE 4B)



### Tuning Tips by ALF HAGON

#### **FITS AND CLEARANCES**

MAGNETO IGNITION ADVANCE: 35° before TDC (15:1 Comp. ratio).

PISTON CLEARANCE: .006" at bottom of skirt on thrust

faces (at right-angles to gudgeon pin).
PISTON RING GAP: .008" (minimum).

TAPPET CLEARANCE: .002" (engine warm).

MAGNETO CONTACT BREAKER POINTS: .012".

END FLOAT OF CON ROD BETWEEN FLYWHEELS: .010" to .020".

END FLOAT OF FLYWHEELS IN CRANKCASE: .010" to .020".

END FLOAT OF CAMWHEEL: .003". END FLOAT OF CAM LEVERS: .003".

END FLOAT OF ROCKER LEVERS: .002".

STANDARD VALVE TIMING: (Camwheel Part No. 18989)

	opens	closes
Exhaust	65° before BDC.	34° after TDC.
Inlet	44° before TDC.	62° after BDC.
SPECIAL CAMV	VHEEL (Part No. 2315	(4)
10-10 M		

Exhaust	80° before BDC.	50° after	TDC.
Inlet	60° before TDC.	80° after	BDC.

Due to increased overlap on this Cam, care must be exercised to ensure that there is sufficient mechanical clearance between valve heads and piston crown.

It is not recommended that this Cam be used if the valve head diameters are greater than standard. BORE: 80 mm. STROKE: 99 mm. CAPACITY: 497 cc.

COMPRESSION RATIO: 15:1

WEIGHT: Nett 58lb.; Magneto 4lb.; Carburettor 2lb. CARBURETTOR: AMAL type 932. 12½" downdraft.

OIL PUMP: PILGRIM Duplex B.1.

SPARKING PLUG: LODGE R49, R50 or R51 (1/2" reach).

FUEL: METHANOL (Methyl Alcohol CH3 OH).

OIL: Castor Base ("R") ENGINE SPROCKETS 15T to 26T

A RACING JAP is an incredibly simple engine, and is no trouble to work on.

Both steel and dural con-rods are available for JAP engines. There is no preference.

When reassembling, the con rod should have a side float between the flywheels of .010" minimum. When the flywheels have had several crankpins fitted the tapers 'sink' causing the wheels to 'nip' the con rod and this is remedied by fitting an oversize crankpin, this oversize is in length between tapers (not diameter). There are two oversizes, Part No. 11453/1 ( $^{1}$ /<sub>32</sub>" longer between tapers) and 11453/2 ( $^{1}$ /<sub>16</sub>" longer between tapers). The flywheel assembly must be accurately trued between centres after assembly and the crankpin nuts properly tightened.

Like the crankpin, bearing housings are also available in oversizes and when refitting, after replacement, thrust washers should be fitted to provide the flywheel assembly with an end-float of 10 to 20 thou.

Both the crankpin and timing-side mainshaft rely entirely upon their tapers for alignment in the flywheels. Make sure that the mating oil-holes align during fitting. The driveside mainshaft is tapered and keyed.

Both valve and ignition timing on JAP engines is critical. Always use a degree timing disc with a dial guage to note valve movement.

Before timing the cam, pinnion backlash MUST be determined and should be  $1^{\circ}$ . For this purpose Timing Pinnions, -6 Std +6+10 are available.

Reface the valves and valve seats every time the engine is dismantled. This is the secret of the JAP - no power should be lost through bad valve seatings.


When assembling, always fit the push-rods first without the cover tubes. Then spin the rods to check that they are straight.

#### OIL PUMP

Actually two pumps, one supplies the big-end via the oil tube and this is the one furthest away from the engine, controlled by the front adjuster and it should always be set to give the maximum flow. The inner pump, controlled by the rearward facing adjuster supplies the rocker box this should be adjusted to supply a small quantity (one drop every five seconds when ticking over).

### Hagon Jap





Complete 500 or 350 Mac	hine (Less Engine)	£175.00 £180.00
Complete ESO 500 or G/	Machine (Less Engine)	1100.00
Special Frame Assemblie HAGON ESO	G/T Frame Assembly	£50.00
HAGON Triumph Twin	G/T Frame Assembly	£50.00
HAGON BSA Goldstar	G/T Frame Assembly	£50.00
HAGON AJS	G/T Frame Assembly	£50.00
HAGON AJS	Disc Rear Brake (Extra)	£15.00

#### SPECIFICATION

Hagon Jap grass-track machines, well-known the world over, have been developed for this very popular sport in our well-equipped, modern works in London. Built from aircraft. tubing, Jig built to ensure accuracy and interchangeability of replacement parts. Hagon Jap machines are suitable for 350 and 500 c.c. Jap engines. Machines can also be adapted to accomodate ESO, AMC, Gold Star and Triumph Twin engines into Hagon frames.

Weight (with fuel and oils) 215 lbs.
Wheel base 57".
Head angle 69°.
Ground clearance 5".
Saddle Height 29"
Chrome 5-pint fuel tank.
Oil in main frame.
Blue stoved enamel finish.

#### Albion or AMC Gearbox

Optional extras
Alloy rims, 23" front
wheels steel or alloy,
various types of tyres.
Fibre glass front mudguard, speedway air
cleaner, long seat, dirt
shield.

### FRAME ASSEMBLY Oil Tank in Frame, (Diamond, Sub Frame, Nuts and Bolts) Dural Plates, Girling Legs

Pivot, Swinging Arm. £46.00

#### HAGON-JAP COMPONENT LIST


Part No.	Description	Quantity	Prices Each	Part No	Description Qua	ntity	Prices Each
HJ-35	Main diamond frame (with bushes and fille	1	£14.00	HJ-67	Chain case fixing nut and washer	1	.08
HJ-36	Frame oil tank filler plug	1	£ .40	HJ-68	Rear brake assembly, complete	1	£2.40
HJ-37	Steering head bushes	2	.50	HJ-69	Exhaust pipe - cross over type	1	£4.50
HJ-38	Steering head grease nipple	1	.05	HJ-70	Exhaust pipe bracket front	1	.50
HJ-39	Frame to engine plate nut and bolt (rear)	1	.20	HJ-71	Exhaust pipe bracket rear	1	.50
HJ-40	Diamond loose lug	1	£1.00	HJ-72	Exhaust pipe clip	2	.20
HJ-41	Loose lug nut and bolt	1	.20	HJ-73	Oil pipe	1	.60
HJ-42	Sub frame	1	£7.50	HJ-74	Fuel pipe	2	.60
HJ-43	Sub frame top fixing nut and bolt	1	.20	HJ-75	Tank with cap and bushes	1	£6.50
HJ-44	Sub frame bottom fixing nut and bolt	1	.20	HJ-76	Tank cap	1	.25
HJ-45	Engine plates rear (Albion) 3 off	3	£8.00	HJ-77	Tank strap and bolt	1	.65
HJ-46	Engine plate front	2	.75	HJ-78	Tank front mounting lock nut and bolt	1	.15
HJ-47	Front Engine Plate nut and bolt	1	.20	HJ-79	Tank taps with filter	2	.65
HJ-48		r – 2	£8.80	HJ-80	Tank tap washers	2	.01
HJ-49	Swinging arm	1	£8.00	HJ-81	Chain guard	1	£2.75
HJ-50	Rear units fixing bolt, spacer and nut	2	.40	HJ-82	Chain guard front fixing bracket	1	.40
HJ-51	Swinging arm pivot with brushes	1	£3.00	HJ-83	Chain guard rear spacer with nut and bolt	1	.60
HJ-52	Swinging arm bushes	2	.70	HJ-84	Handlebars 7/8"	1	£2.25
HJ-53	Swinging arm pivot nut, bolt and washer	1	.40	HJ-85(A)	Seat (short) B (long £4.50)	1	£3.50
HJ-54	Swinging arm pivot spacers	2	.15	HJ-86	Seat bracket, front	1	.70
HJ-55	Swinging arm pivot nuts and bolts (4)	4	.20	HJ-87	Seat bracket, rear	1	.90
HJ-58	Gear Box fixing nuts and bolts	2	.20	HJ-88	Rear guard	1	£2.75
HJ-59	Footrest offside swinging, complete	1	£2.90	HJ-89	Rear guard 3/8", nut and bolt	2	.15
HJ-60	Footrest offside swinging section only	1	£1.40	HJ-90	Rear guard ¼", nut, bolt and washer	1	.15
HJ-61	Footrest offside hanger	1	£1.25	HJ-91	Rear guard spacers	2	.15
HJ-62	Footrest offside nut and bolt	1	.25	HJ-92	Rear guard washers	2	.02
HJ-63	Nearside footrest hinge, complete	1	£3.25	HJ-93(A)	Front alloy guard (fibre glass £1.00 [B])	1	.60
HJ-64	Nearside footrest hinge bracket only	1	£1.75	HJ-94	Front number plate complete	1	.90
HJ-65	Nearside footrest hinged	1	£1.35	HJ-95	Front number plate less clips black/yellow/		
HJ-66	Nearside footrest hinged pivot nut and bolt	1	.15		green or blue and white	1	

FRAME TUBING ALWAYS AVAILABLE, MILD STEEL AND T.45

FRONT	WHEEL	CAMPA	GNC	LO,5	4" BI	RAKE 12mm K/O Spindle.	
Complet	te Wheel	(Less	Tyre	and T	ube)	with 23" Alloy Rim	£22.00
"	"	"	"	"	"	" 23" Steel Rim	£18.50
"	"	"	"	"	"	" 21" Alloy Rim	£22.00
"	"	"	"	"	"	" 21" Steel Rim	£18.50
Hub Cor	mplete	5¼" Po	werf	ul Full	Wid	th Alloy Hub K/O Spindle	£12.00
TRANS	MISSION	1					
ALBIO	V			Gear B Lever	ox C	lose Ratio with Clutch	£37.50
A.M.C.		Late	Тур	e 4-spe	eed w	rith Clutch and Gear Lever	£35.00

SPECIALS We can make any special G/T or Sprinter to your requirements.

We have made many specials for people who insist on using the engine or frame layout of their choice —



Hedlund-Engined Hagon built for the Continental long track racing circuits.



The Hagon Showground Special Short Wheelbase, 2-speed JAWA Gearbox.

### **Sandracer**




HAGON JAP SAND RACER

LESS ENGINE, TRANSMISSION, BRAKES, £130.00



Don Godden Cornering at over 70 M.P.H. on route to winning the European Sandtrack Championship on his Hagon Sandracer.





YOUR OWN A.M.C. GEARBOX MODIFIED TO FIT, GRASS TRACK OR DRAG BIKE, MILL LUGS ON MAIN CASE, SUPPLY 2 ALLOY SPACERS, TOP FIXING TUBE SPACER, SHORTEN SLEEVE GEAR AND MAIN SHAFT, SUPPLY CLUTCH NUT SPACER. (EXCHANGE SERVICE) PRICE: £8.50

THE HAGON SANDRACER. Undoubtedly the most successful track racing machine available to-day. THE SANDRACER was built for the long, fast Continental tracks, but is equally successful on the short Home Circuits.

The design of the SANDRACER enables the use of 19" or 22" rear wheels.

#### SPECIFICATION

WHEEL BASE. 54" to 56" depending on 19" or 22" rear wheel.

HEAD ANGLE. 69°. Seat height 29"

WHEELS. Alloy or Steel Rims, 23" Front, 19' or 22" Rear.

JAP or JAWA Engines. Hagon 3 Speed, Drott 2 Speed. JAWA 2 Speed. NORTON Split Top Lug or A.M.C. Gear Boxes can be fitted.

Frame Assembly, Diamond, Sub frame, Dural Engine Plates, Pivot, Swinging Arm, Girling Units, Nuts and bolts etc. Blue stove enamel finish.

PRICE:	£46.00
h oil filler plug	£13.50
	£7.50
n 17mm long	
or short	£8.00
ushes	£3.00
as Std. Hagon.	When ordering
	n 17mm long or short ushes

#### TRANSMISSION


A.M.C. Gearbox/Engine Plate Assembly for Sandracer or Standard Hagon, consisting of:

ertainaara riegorij e		
Engine Plates rear		£8.00
Pivot		£3.00
Pivot Screws	(4 off)	.20
Gear Box Bolts	(2 off)	.20
Gear Box Spacers	(2 off)	.40
Gear Box Top Tub		.20
Gear Box Adjuster	Cam	.35
Clutch Nut Spacer		.10
Completely Recon	ditioned Gear Box and	d Clutch with Gear
Lever and 14T or 1	6T Final Drive Sprock	et £35.00
The Complete As	sembly as shown bett	er than new but a
half the price	(Complete)	£45.00


IMPORTANT! CABLE END FLOAT IS NOT PUSHROD END FLOAT, CHECK CLUTCH PUSHROD ARM FOR CLEARANCE.

PARTS 14T and 16T 5/8" x 1/4" Sprockets	Ea.	£2.40
Small Bearing		£1.50
Large Bearing		£2.50
Inner Gasket		.10
Outer Gasket		.10
Gear Lever		£1.75
Thick Wire Spring		.20
Thin Wire Spring		.15

### **AMC**



Α	Steel plate dimpled each	.75	K	Clutch rubber large each	.10	W	Alloy pressure plate	£1.50
В	Steel plate each	.60	L	Clutch rubber small each	.10	W1	Steel pressure plate	£1.00
C	Solid fibre each	£1.30	M	Clutch spring cups each	.18	X	Clutch hub - Splined	£4.50
D	Bonded plate each	£1.10	N	Main shaft nut each	.15	X1	Clutch rollers each	.05
E	Bonded plate each	£1.10	NI	Clutch adjuster lock nut	.15	Y	Clutch spider each	£4.50
F	Solid fibre plate	£1.30	0	Extra strong springs	.10	Z	Recon. clutches from	£16.00
G	Clutch cage	.60	P	Clutch stud	.40			
Н	Sprocket nut lock washer	.17	Q	Clutch stud	.40			
ï	Sprocket nut	.25	R	Clutch. Push rods (7/32")	.16			
1	Thick inserts for chain	£1.00	S	Spring adjuster "	.20		EXCHANGE SERVICE	
	wheel		Т	Spring Adjuster "	.15		EXCITATION DETITION	
Bon	ded back plate	£2.00	S1	Clutch Adjuster	.20	Chair	í Wheel	£1.75
	l back plate	£1.50	U	Clutch stud nuts each	.07	Clutc	h plates	.75
	tre race	£2.00	V	Mainshaft washer each	.08	Bond	ed back plate	£1.00



Many of you enjoy building and making your own bikes but sometimes there are parts which you cannot make. So let us supply it - from the smallest nut and bolt to a COMPLETE BIKE - we can help.

£3.00

£2.40

£3.25

£8.00

£1.00 £6.50

£3.00

£2.50

### **Frame Kits**



#### STANDARD HAGON FRAME ASSEMBLY (As shown)

Diamond, Sub-frame, Swinging arm, Engine Plates, Pivot, Loose Lug, Head Bushes, Girling Units, High tensile bolts, Cad. plated — Stove enamelled Blue, Gear Box, Engine Plates to suit most gear boxes & engines.


Price £46.00



#### HAGON SANDRACER KIT (As shown but not assembled)

Diamond, Sub-frame, Swinging arm, Engine Plates, Pivot, Girling Units, High tensile bolts, Cad. plated, Stove enamelled Blue, Fibreglass rear guard, Seat and Brackets, Tank, Tank Strap & Bolts 2 taps, Forks Head bolt & Spindle etc.

Price £80.00





### STANDARD HAGON COMPLETE (less engine) With Albion or A.M.C. Gearbox Price (as shown) £175.00

To suit JAP or JAWA Engines and A.J.S. A.M.C. Albion, Drott, W.D, & ESO Gearboxes — It takes only approximately one hour to fit engine & cables etc. and you are ready to race. Price includes Cables, chains, chain case, footrest, exhaust pipe, etc. As above for JAWA or A.M.C. engines £5 extra

DISC REAR BRAKE £15.00 EXTRA

Convert your standard Hagon, to Sandracer specification, using your 19" wheel and short swinging arm,


#### 



RUBBER BASE VALVE - 90° SINGLE BENT OFFSET VALVE PRICE .40

	HIGH TENS	ILE
1/ <sub>16</sub> "	per sq. foot	£.065
1/8"	per sq. foot	£1.25
3 <sub>16</sub> "	per sq. foot	£1.75
14"	per sq. foot	£2.25
5/16"	per sq. foot	£2.75
3/8"	per sq. foot	£3.25

### **Hagon Disc Brake**



THE HAGON DISC BRAKE IS A NEW ADVANCEMENT IN THE GRASS TRACK & SPRINT WORLD — ULTRA LIGHT, YET STRONG, — Q/D, — HUB CAN BE USED WITHOUT THE CALLIPER, SEALED BEARINGS — NEED NO GREASING, CALLIPER IS DEEP THROATED TO ALLOW A SELECTION OF SPROCKETS TO BE USED IN ½" PITCH AND \$\frac{5}{8}" PITCH THE DISC PADS ARE ADJUSTABLE AND EASY TO CHANGE

Α	Steel sprockets	each	£4.25
В	17mm bearings	each	£1.40
C	Hardened distance piece		.80
D	Disc pads with screw & springs		£2.00
E	Deep calliper	each	£12.50
F	Calliper bolts	each	.50
G	17mm spindle assembly		
	(as shown)		£1.90
H	5/16" BSF STUDS	each	.15
	(nut 2½p each)	each	.15
1	'O' Ring		.15
J	Calliper carrier		£5.00
K	Complete assembly (as shown)		£35.00
L	Magnesium hub		£13.00

NOTE


Steel sprockets sizes for use with disc brake are 5/8" pitch 47T to 51T.
%" pitch 58.60.62,64.

All sprockets lightened and Cad. plated

PLEASE STATE SIZE WHEN ORDERING ASSEMBLY KIT.

#### SPINDLE ASSEMBLY


Spindle only 17mm. steel		.70
Alloy 17mm. nuts	each	.20
Alloy spacer	each	.40
Snail cam - 17mm.		.35
Washers 17mm.		.08



#### COMPLETE WHEELS WITH DISC BRAKE AND SPROCKET

1	19"	or 22" Steel Rim Wheel	£41.00
2	19"	Borrani Alloy Wheel	£44.00
3	22"	Borrani Alloy Wheel	£45.00

#### HAGON FRONT HUB



POWERFUL. 135mm CAMPAGNOLO HUB Weight: 4½lb., 36 Hole: 12mm K.O. Spindle Ideal for G.T. Sprint, Trials etc.

£12.00

### **Hagon Forks**

#### HAGON HYDRAULIC FORKS



Lightweight with strength and perfect handling was the order when these forks were first designed some 11 years ago. That we were successful can be guaged by visiting any Grass Track Meeting in any country where it will be seen that the majority of riders use them. Not content to rest on our laurels development has continued and now a Drag racing version is available and has been tested in excess of 200 m.p.h.

STANDARD (with brake anchor pin) for Hagon Alloy Hub £17.50 Both include head bolt, spindle and damper. (less pin £17.00 and handlebar clamps

HAGON DRAGSTER Forks with 1¼" Chrome Split Clip ons with Brake Anchor (as shown) £18.00

HAGON DRAGSTER Forks tested in excess of 200 m.p.h. without Brake Anchor. Both include head bolt, spindle and damper. £17.50

WHEN FITTING FORKS TO FRAME, ENSURE SPINDLE BOLT IS TIGHT OTHERWISE HOLE IN FORK CROWNS WILL BECOME WORN. IN THE EVENT OF DAMAGE RETURN "H" PIECE AND BOTH INNER LEGS TO WORKS FOR REPAIR.

The hardened Head Spindle is available in sizes of Std = .867 and + 1 = .874 + 2 = .881 £1.00 each

#### **GRASS TRACK VERSION**

The famous Hagon forks are constructed from the best materials.

Overall length 28". Distance between crowns 6". Will accept up to 23" wheel.


Distance between fork blades 4%".

Movement 4". Weight 12%lbs.
Suspension by rubber and hydraulic
damper. Lubrication by grease nipples.
Blue stoved enamel and Cad-plated
fittings. Forks come complete with
head spindle and bolt and handlebar

clamps and damper.

### DRAGSTER VERSION Basically the same as Grass Track only shorter and with chrome clip-ons. Weight 10½lbs.

Part No.	Description	Qty	Price
UE O1	Top piece	1	£1.00 ea.
HF-Q1	Damper unit complete	1	£4.00 ea.
HF-02	Damper top locking nut	1	.03
HF-04	Damper bottom nut	1	.03 ea.
HF-05	Head spindle nut and bolt; JAP	1	.50
HF-07 HF-08	Head spindle drilled; and hardened	1	£1.00
HF-09	Head spindle nut, bolt and nipple	1	.90 ea.
HF-10	Main fork 'H' piece	1	£6.75
HF-11	Rubber bands outer (large)	2	.15
HF-12	Rubber bands inner (small)	2 2 2 2	.15 ea.
HF-12	Grease nipples	2	.08
	Grease nipple washers	2	.05 ea.
HF-14 HF-15	Inner leg, plain	1	£2.50 ea.
	Inner leg with break anchor pin	1	£3.00
HF-16	Inner leg knurled nut	2	.25 ea.
HF-17	Inner leg locking nuts	2 2	.03 ea.
HF-18	Inner leg rubber buffers, top and		
HF-19		4	.07 ea.
115.00	bottom Forked spiters	2	.35 ea.
HF-20	Forked gaiters New * Dural handlebar clamps	- 1	.00 00.
HF-25	non-slip complete set 7/8" or 1"		£1.20



#### Maintenance

Before lubricating it is essential to remove rubber bands and bottom the forks, then apply 4 - 6 strokes of grease gun, containing engine oil. DO NOT USE GREASE.

### **Speedway**

A	Mag. Hub with bearings and centre spacer	£6.60
В	Bearings — Double Rubber Sealed — Need no lubrication each	£ .75
С	Dural Centre Spacer 12mm Bore	£1.30
D	Push-on dural spacers, Will not fall out when wheel is removed each	.40
E	12mm Spindle & Nut Hub Complete (As shown)	.50 £8.00



#### **FOAMY FILTER**

The latest in air filters, perforated 20G steel liner giving 50% free area, covered in foam sponge sheaf fits over 2" bell mouth with hose clip. Price £1.60

Foam can be washed over and over again without impairing its filtration qualities. It can be cleaned by normal washing and ringing out, by reverse flushing with water or by cleaning with a vacuum. Hot water and detergent will readily remove entrapped particles (and oil, where this has been used to give additional efficiency). It can be wring dry after washing and will be ready within minutes for continued use.

44T CLUTCH

#### SPECIFICATION

A2T CLUTCH

The Hagon Magnesium Speedway Hub is made from die cast electron "C" and is heat treated, crack tested, and chromated. Spindle size 12mm 40 spoke holes. The sealed bearings are 15mm bore. The centre spacer locates inside the bearing enabling a larger spindle to be fitted by boring out the centre spacer. (ALSO AVAILABLE WITH ½" SPINDLE)

CDEEDWAY

HEAD CC	RATIO	co	MPRESSION	V	RA	TIO	CI	HART 500	cc	HEAD CC	RATIO
30	18.0	35	15.2	40	13.4	45	12.0	50	10.9	55	10.0
31	17.3	36	14.7	41	13.0	46	11.8	51	10.8	56	9.9
32	16.5	37	14.5	42	12.8	47	11.5	52	10.6	57	9.8
33	16.0	38	14.2	43	12.5	48	11.3	53	10.4	58	9.6
34	15.7	39	13.7	44	12.3	49	11.1	54	10.2	59	9.4

#### **GEAR RATIO CHART**

		421	CLUIC	н	SPEE	DWAY		
			REA	R WHE	EL SPR	OCKET		
Α	В	56	57	58	59	60	61	62
17	14	9.88	10.04	10.23	10.42	10.61	10.8	10.92
18	14	9.30	9.50	9.67	9.83	10.00	10.20	10.32
19	14	8.81	9.00	9.16	9.32	9.47	9.60	9.74
20	14	8.39	8.55	8.70	8.85	9.00	9.14	9.30
21	14	8.00	8.14	8.29	8.43	8.57	8.70	8.82
22	14	7.62	7.77	7.91	8.05	8.18	8.30	8.48
23	14	7.30	7.42	7.57	7.69	7.81	7.95	8.09
17	15	9.23	9.39	9.56	9.71	9.89	10.04	10.22
18	15	8.70	8.87	9.02	9.18	9.33	9.50	9.66
19	15	8.28	8.40	8.55	8.69	8.84	9.00	9.15
20	15	7.85	7.98	8.12	8.26	8.40	8.55	8.72
21	15	7.48	7.60	7.73	7.88	8.00	8.13	8.30
22	15	7.13	7.28	7.40	7.50	7.62	7.77	7.91
23	15	6.82	6.95	7.08	7.20	7.30	7.42	7.58
17	16	8.67	8.80	8.95	9.11	9.26	9.40	9.60
18	16	8.18	8.31	8.46	8.60	8.75	8.89	9.15
19	16	7.73	7.88	8.01	8.15	8.29	8.41	8.58
20	16	7.38	7.49	7.62	7.75	7.90	8.01	8.18
21	16	7.00	7.14	7.26	7.40	7.50	7.62	7.78
22	16	6.70	6.80	6.93	7.05	7.16	7.29	7.42
23	16	6.40	6.51	6.62	6.75	6.87	6.98	7.10

Column A = No. of teeth on Engine Sprocket

Column B = No. of teeth on Countershaft Sprocket

		REAR WHEEL SPROCKET									
Α	В	56	57	58	59	60	61	62			
17	14	10.39	10.57	10.71	10.94	11.11	11.3	11.40			
18	14	9.78	9.95	10.12	10.30	10.48	10.65	10.82			
19	14	9.28	9.42	9.61	9.78	9.97	10.12	10.28			
20	14	8.80	8.96	9.12	9.30	9.48	9.62	9.74			
21	14	8.38	8.52	8.68	8.82	8.97	9.12	9.28			
22	14	8.00	8.15	8.30	8.46	8.59	8.72	8.85			
23	14	7.65	7.80	7.94	8.08	8.21	8.35	8.48			
17	15	9.68	9.83	10.00	10.18	10.37	10.53	10.70			
18	15	9.13	9.30	9.47	9.62	9.79	9.95	10.12			
19	15	8.65	8.80	8.95	9.12	9.28	9.44	9.58			
20	15	8.22	3.37	8.52	8.67	8.81	8.96	9.10			
21	15	7.81	7.97	8.12	8.27	8.41	8.55	8.68			
22	15	7.48	7.61	7.74	7.88	8.01	8.15	8.28			
23	15	7.16	7.29	7.42	7.53	7.68	7.78	7.92			
17	16	9.05	9.22	9.39	9.55	9.71	9.88	10.04			
18	16	8.55	8.72	8.88	9.00	9.17	9.32	9.48			
19	16	8.10	8.25	8.40	8.55	8.70	8.84	8.98			
20	16	7.71	7.86	7.98	8.12	8.27	8.42	8.52			
21	16	7.25	7.48	7.60	7.72	7.86	8.00	8.12			
22	16	7.00	7.12	7.25	7.38	7.51	7.64	7.76			
23	16	6.70	6.81	6.94	7.07	7.19	7.32	7.42			


**GEAR CHART** 

### HAGON SPEEDWAY MACHINE

SPEEDWAY, THE LATEST BRANCH OF MOTOR CYCLE RACING TO BE COVERED BY US, AND ONLY ONE YEAR AFTER INTRODUCTION, HAGON FRAMES ARE SOUGHT AFTER THE WORLD OVER.

**SPECIFICATION** 52" Wheel Base 4" **Ground Clearance** 180lb Weight 28" Saddle Height 5 pints **Fuel Capacity** 1 pints Oil Capacity Suitable for JAWA and JAP engines. All parts are jig built to ensure interchangeability of replacement parts. Finished in HAGON blue, or hammer grey stove enamel or cadium plate. 23" front wheel and 19" rear wheel, chrome steel rims or alloy rims,

magnesium hubs.





KEEP ON TOP AT THE HAGON SHOP

### SPEEDWAY FORKS

#### **SPECIFICATION**

2" movement with rubber bump stops, internal springs two positions for handlebar fixing. 41/2" between fork blades. Stove enamel blue or hammer grey or Cadium plate, will fit any make of machine.





2	Inner regs	
3	Gaiters	
4	Springs	
5	Rubber bump stops	
6	Spring top retainer and nut	
6	Handle bar clamps 7/8" or 1"	
8	Head nut and bolt	
	Complete forks	
9	Hardened head spindle (Extra) STD = .867 +1 = .874 +2 = .881	

Fork H piece

Inner lens



#### MOST PARTS INTERCHANGEABLE WITH JAWA

1	Frame Diamond with oil filler cap and head bushes		£17.00
2	Oil filler cap	each	.50
2	Head bushes HJ37 We can supply head bushes for JAWA forks	00011	£16.00
4	Rear end with chain adjusters	each	.20
5	Chain adjusters nut and bolt	eacn	2.00
6	Engine stay short-JAWA long-JAP grey only		1.50
7	Front engine plates JAWA or JAP (pair)		7.50
4 5 6 7 8	Rear engine plates JAWA or JAP (pair)		1.40
9	Engine plate short sleeve nut and 4 stud (as photo)	each	1.40
,	Also for rear top engine plate bolt		1.40
10	Seat long sleeve nuts and 4" stud		1.40
11	Footrest sleeve nuts and 4½" stud (1) Long nut (1) Long nut with thick head		.80
12	Footrest bolt spacer	each	.50
	Sleeve nuts	each	.40
	Sleeve nut studs FRAME KIT COMPLETE (AS PHOTO)	eacii	£50.00



£1.00

£65.00

Fach


Each

Each

Each

Each

Pair



### **SPEEDWAY**



SPEEDWAY MACHINE £150.00 (complete as shown) with chain, cables, exhaust pipe and clips £161.50

#### SPEEDWAY COMPONENT LIST

FRAME & FORKS BARS 7/8" T45	£65.00 £ 2.25	FO
Q/A TWISTGRIP	£ 1.00	(N
CLUTCH LEVER 7/8"	.80	
ALLOY FRONT GUARD		RE
FRONT WHEEL 23"	£14.00	AS
(Mag Hub, Steel Rim)	L14.00	DU
23" FRONT BARUM		(3
	£ 6.00	19"
23" FRONT BARUM	1 0.00	BA
TUBES	£ 2.00	BAI
ALLOY DIRT SHIELD	L 2.00	VA
WITH CLIPS	£ 2.00	AS
	£ 6.50	
2 FUEL TAPS	£ 1.30	
3 OIL & FUEL PIPES	£ 1.80	EXI
SHORT SEAT &	1.00	2 E
BRACKETS	£ 6.60	REA
REAR GUARD (FIBRE-	1 0.00	NY
GLASS	£ 2.75	(C
	2.70	AS
CHROME LIFTING		PAF
HANDLE	£ 1.50	

MIFONEINI LISI		
FOOTREST REAR WHEEL (Mag Hub & Steel Rim)		2.50 19.50
REAR SPINDLE ASSEMBLY DURAL SPROCKET	£	2.00
(35T to 62T)	£	4.25
19" DUNLOP OR BARUM TYRE		6.50
BARUM TUBE (OFFSET VALVE) AS PHOTO £150.00		2.00
EXHAUST PIPE	£	4.50





Long Speedway seat 20" long 6" wide Black £6.25 Brackets fit Hagon or Jawa Front .50 Centre £1.25 rear




Short Black Speedway Seat Strong alloy base £4.00 Front Bracket £1.60 Rear Bracket £1.00 FITS HAGON OR JAWA



Speedway Foot Rest 2 Bolt Fixing £2.50



Alloy Dirt Sheild with 2 Clip Fixing £2.00 Speedway Alloy Front Mudguards walled edge .60 Rolled edge each .60







S.E.M. MAGNETO CONVERSION FOR JAWA ENGINE Complete as shown £33.00 S.E.M Magneto Machined and £27.00 modified Alloy spacer ring £1.70 £2.30 Angled clamp Draw bolt £1.50

#### RUBBER MOUNTED, 5 PINT CHROME FUEL TANK.

Complete with cap and Rubber bushes both ends £6.50 Rubber Tank cap .25 Rubber mounting bushes .10 each Steel bush liner .10 each Fuel tape with filter .65 each .01 each Fuel tape fibre washer





AMAL 36mm CARB **CONVERSION FOR** JAWA ENGINE (AS SHOWN) £16.00

Consisting of, 36mm concentric £12.00 alloy adaptor for air cleaner £2.50 alloy carb spacer 8mm studs and nuts £1.50 also available 34mm and 38mm concentrics

# SPARE PARTS LIST 500 cc. J.A.P. SPEEDWAY RACING 4 Stud Engine (Type 4B)

Part No.	No. Off	Description	Price Each	Part No.	No. Off	Description	Price
Part IVO.	140. 011	(F) F (S) V (N) (C) A	£23.50	40004	1	Crankcase Clamping Bolt & Nut rear	.00
18987/4	1 1	Cylinder Head c/w Guides & Inlet Pipe	.95	10064	1 1	T/Side Liner STD (O/S .003 & .005	£2.0
3980	1 1	Value Guide Inlet (US .003 &		18835	1	£2.10 each)	
3981/2	1 1	Valve Guide Exhaust .005 £1.05)	.95		70		.1
	1 1	Inlet Pipe 1½" O.D.	.50	10970	1	Recess Washer	
1416/2			.35	11280/2	1 1		£3.5
1411/1	1	Inlet Pipe Lock Nut	£1.05	1120012		£3.60 each)	
448	1	Exhaust Union Nut	£2.60	*****	2	Liner Retaining Screws	
8947	1 1	Valve Inlet		18834		Litter Metalling October	. (
1871	1	Valve Exhaust	£2.60	6374	4	Vacuum Valve Grating	. (
	2	Mica Washer	.05	4085	4	Vacuum Valve Disc	
3896	2	Valve Collar Guide End	.20	1189	1	Camwheel Bush Crankcases STD (O/S +3	
3895	2	Valve Collai Guide Ella		11.11.50	-	+5 .75)	
8955SC)		and the state of t	£1.05	8746	. 1	Cam Lever Pivot Pin	
8956SC)	2	Valve Springs (set of 4) Long Life	.48		124	Drain Plug	
3787	2	Valve Collar Cone End		10106			- 2
3238	2	Valve Cone	.25	12299	1	Oil Trough	
	2	Valve Spring Ring	.01	5250A	4	Oil Trough Allen Screw	
3239	2		.13	6616	1	Oil Box Cover	
3703	2	Valve End Cap	.33	16679	1	Timing Spindle Key	0
1896	1	Cylinder Head Washer			i	Driving Spindle	£1.
				10999		Driving Spindle Nut Flywheel	
2807/1)		Rocker Box & Cover	£11.80	4627	1	Driving Spinale Nut Flywileer	
2808 )	1	Hocker Box & Cover		16668	2	Driving Spindle Key	
12569/1)		The second second	.20	11453	1	Crankpin STD +1/32 and +1/16 length	£1.
9675	2	Rocker Box Bolt		11454	2	Crankpin Nut	
9682	2	" " Washer	.01		1	Big End Cage	£1
	1 î	" " Oil Collector	.20	8822/1			
11907		" " " Screw	.02	6245	10	Big End Roller	£10
6418	1		.06	SSA51	1		
9214/1	1	COVER 1 IXING CLOC		12192	1	Con Rod Liner STD (OS .002 & .003	£2
6340	1	" " Cap Nut	.15	12152		£2.30 each)	
18799	4	" " Clamp Screw	.06			S/E Bush	
	1	" " Oil Union Centre Piece	.23	8605	1		£1
14584		" " Oil Union Washer 7/16	.03	10997	2	Mainshaft Cage	
11961	2		.03	18450	20	Mainshaft Roller	
11961/1	2	Oli Ollioli Washer Zere .	.10	12332	2	Thrust Washer Various Thicknesses	
14585	2	" " Oil Union Banjo Nut	.10	14132	_	A METATOCA AND ANALYSIS OF THE CONTRACTOR	
SA3590	1	Valve Stem Oil Pipe Inlet	.30		1pr.	Crankcases T/Side and D/Side c/w	
SA3591	1	" " " Exhaust	.30	13678/1	ipi.	Fixed Fittings	£51
		" " " Union	.20				776-EVI
12233	2	" " " Union Nut	.07	13678/1	1	D/Side only C/w Liner (not machined	£18
12234	2		£3.50	0.0000000000000000000000000000000000000			LIC
11007	1	Rocker Lever Inlet		10881	4	Crankcase bolt & Nut 3/8" Eng. Boltd. Crankcase bolt & Nut 5/16" Eng.	
11008	1	" " Exhaust	£3.50		2	Crankcase holt & Nut 5/16" Eng. Boild.	
9696	2	" " Distance Piece	.27	10883		Crankcase Clamping Bolt & Nut front	
	4	" " Washer	.10	12579	1	Crankcase Clamping Bore & Not Hore	
9677		" Roller (set of 88)	£1.25	6628	1	Oil Box Cover Washer	
9733	88	Holler (set of co)	.01	4106	4	Oil Box Cover Screw	
9679	2	Locating violities	.45	6293/1	4	Timing Cover Fixing Stud	
9676	4	Dearing Lines		3574	4	Timing Cover Fixing Stud Nut	
11518	2	" " Adjuster	.25		2	Timing Cover Allen Screw	
7386/2	2	" " Adjuster Nut	.04	9650A		Cultinder Polt	£
	-		200.000	SA2703	4	Cylinder Bolt	
12801)		Value Coring Cover Inlet	£2.25	14253	4	Pad for Cylinder Bolt Hole	
12798)	1	Valve Spring Cover Inlet		10037/1	2	Push Rod Tube Adaptor (New Type)	
12802)			£2.25	18988/1	2	Puch Rod Cover Tube	
12799)	1	Valve Spring Cover Exhaust			2	Push Rod Cover Tube Oil Seal (New Type)	
12803	2	Valve Spring Cover Cup	.34	10038/2	2	Push Rod	
18799	4	Valve Spring Cover Screw	.06	11574	2		
		Valve Spring Cover Fixing Screw	.06	10518	2	Push Rod End Top	
3689A	2		£12.87	18990	2	Push Rod End Bottom	
14430	2	Flywheel	£2.30	8717	1	Timing Pinion -15, -10, -6, STD. +6, +10	£
14131	1	Timing Spindle			1	Camwheel	£
8786	1	Timing Spindle Nut Flywheel L.H.	.18	23154		Camwheel Nut	
0/00	1	Timing Spindle Nut Pinion L.H.	.12	3729	1	Camwilleer Nut	_

Part No.	No. Off	Description	Price Each	Part No.	No. Off	Description	Price Each
12800	2	Camlever complete	£3.45	12312	1	Valve Exhaust	£2.6
	2	Camlever Roller	.50	8238/1	i	Valve Cone Inlet 5/16"	:
12797	2			10536	1		
12795	2	Camlever Roller Pin	.25			Valve Spring Ring Inlet 5/16"	.0
12794	2	Camlever Roller Bush	.20	7226	1	Valve End Cap Inlet 5/16"	.1
8801	1	Camlever Distance Piece	.09	11594	1	Cylinder Head Washer	.:
8624	1	Oil Tube	.25	14018/2	2		
	1	Oil Tube Spring	.09			Flywheel	£12.8
8625				SA2704	4	Cylinder Bolt	£1.
11038	1	Oil Tube Washer	.01	9484/1	1	Camwheel	£6.
14281)			1220000000000	19692	1	Cylinder Barrel	£11.
11348)	1	Magneto Drive and Cover	£14.50	18202	1	Piston complete 74mm	£6.:
8944	3	Magneto Drive Cover Screw	.05	10202	2	Piston Ring	20.
10138	1 1	Magneto Drive Oil Seal	.02				
	i	Camwheel Bush Mag Drive STD (O/S +3	.90		1	Gudgeon Pin	£1.2
8749			.50	R930/14	1	Carburettor complete 30mm	£8.
	100	+5, £1.00).			1	Carb. Clamp Adaptor 1. 3/8"	£2.0
14586	1	Mag Platform Support	.78				0/00/00/00
10341	1	Mag Platform Support Bolt	.04	10/8 5 CTI	ID ENGIN	E (with long con rod)	
B1	1	Oil Pump complete	£12.00				
SA2655	1	Oil Pipe (Pump to Rocker Box)	.50	Following p	parts availa	bly only:—	
	1	Oil Pump Fixing Screw Long	.10		1		2-200
18273				12287	1	Cylinder Barrel (long 5 stud)	£11.
18274	1	Oil Pump Fixing Screw Short	.10	11330	1	Valve Inlet	£1.
B2	1	Oil Pump Driving Thimble	.30	14329	1	Con Rod c/w Liner & S.E. Bush	£11.
SEM	1	Magneto (S.E.M.)	£21.50	10737	2	Push Rod	
4103/1	4	Magneto Fixing Screw OBA	.04				
18866	1	Mag Felt Washer Thin	.10	9484/1	1	Camwheel	£6.
	i	Camwheel Sprocket	£1.00				
12257				JAP MISCE	LLANEO	JS	
13973	1	Magneto Sprocket	£1.00				
19301	1	Magneto Chain	.82	SSA52	1	Steel Con Rod (short only)	£14.1
12238/1	1	Cylinder Barrel	£11.25	8820	i	Lines for steel Can Bod (OC 12 15	
11577	1	Piston Complete	£11.25	8820	1 1	Liner for steel Con Rod (OS +3, +5	£2.2
11377	2	Piston Ring	.34			£2.30)	
				18955)			
	1	Gudgeon Pin	£1.25	18956)	2	Valve Springs (Terrys)	
		e Pistons STD +10, +20, +40	£9.50	9211	2	Push Rod Tube Inner Sleeve	
	Omeg	ga Piston + 30	£11.20	12800R	2	Camlever complete (needle roller type)	£3.
	2	Gudgeon Pin Circlip	.10		2		
11004	- 1	Compression Plate 1/16, 1/32, or 1/64"	.20	12797R	2	Camlever Roller	.4
12636	1	Engine Sprocket Adaptor Body	£1.70	12795R	2	Camlever Roller Pin (needle roller type)	
				12796	26	Needle Roller (set of 26)	
12635	1	Engine Sprocket 15T to 20T	£1.70	18989	1	Camwheel (4 stud engine)	£6.9
		21T to 26T	£1.90	19392		Cylinder Bolt Insert	
12638/1	1	Sprocket Nut	.50	17649	2		
\$12638/1	1	Sprocket Nut Circlip	.10	17049		Hairpin Spring Collar	
18866	1	Felt Washer Thick	.10		1	Timing Disc	
				16086G		Engine Sprocket Spanner (Hex. Nut)	
12778 A & B		Engine Sprocket Body Withdrawer	.70	12638	1 1	Engine Sprocket Nut (Hex. Type)	
7351	1	Rocket Adjuster Spanner	.10	10038/1	2	Push Rod Tube Packing Ring (old type)	
14967	1	Plug Spanner	.25	10037	2	Push Rod Tube Adaptor (old type)	
16068/1	1	Engine Sprocket Nut Spanner	.31	10037			
	1	Allen Key	.07		1	Sparking Plug Lodge R49, R50 or R51	£1.
	1	Manual	.13				
			.13			Exhaust Pipe Copper Washer	
	1	Sparking Plug NGK, B-9HN / B10 HN or	00.00			Camshaft Bush - Needle Roller Conversion	
		Lodge R49/50	£1.25			Oversize Valve Guides (Bronze)	£1.
R90	1	Waterproof Cover	.25				
R932/4	1	Carburettor Complete 32mm	£8.50			Dural Push Rods (pair)	£1.
100214	i	Carb. Clamp Adaptor 1½"	£2.00			Cast Iron Inlet Valve Guides (350 & 500)	
F 250 0			12.00			Alpha Big End Assembly complete	£6.
		4 Stud Engine substitute the following:-	000 55			contains crankpin, rollers, cage, nuts	10000
19700	1 1	Cylinder Head c/w Guides & Inlet Pipe	£23.50			con rod liner.	
14092	1 1	Valve Guide Inlet 5/16"	.90				
11416	1 1	Inlet Pipe 1.3/8" O.D.	.50			Sizes - Standard, +1, +2, for alloy rod or	
11511	1 1	Inlet Pipe Locknut	.35			steel rod - Please state size and for steel	
12311	1 1	Valve Inlet	£2.60			or alloy.	
		valve IIIIBL	LZ.DU				


Besides all these JAP parts we can also offer the following services:-

Valve Cut
Valve Seats Cut
Inserting
Helecoiling
Alloy and Magnesium welding
Mags repaired
Flywheels Trued
Ports opened
Rebore and Hone
Resleeving


#### 500cc. JAWA / ESO ENGINE SPARES LIST

	£4.00
Standard Exhaust Nut Ring	£4.00 £4.90
Oversize Exhaust Nut Ring +5 +10 +15	.40
Head Gasket	.20
Exhaust Gasket	.45
Tappett Adjuster	.10
Tappett Adjuster Lock Nut	£2.80
Big End Cage	
Mains Cage	£2.80
Big End Rollers — 28 Rollers	£2.00
Mains Rollers — 40 Rollers	£4.00
Cylinder Bolt	.90
Cylinder Bolt Spanner	.30
Mains Liners	£4.60
Bronze Valve Guides STD/+3/+5	£1.50
Inlet Valve	£4.20
Exhaust Valve	£4.20
Pushrod	.90 each
Pushrod Ends Top	.65
Pushrod Ends Bottom	.50
Cylinder Liner	£6.60
Cylinder Barrel and Liner	£24.50
Cylinder Head and Bushes	£42.00
Timing Plate and Bearing	£2.50
Timing Plate Bearing	.80
Timing Case Gasket	.25
Sprocket Carrier	£3.50
Sprocket Carrier Nut	.50
Timing Pinion	£2.50
Timing Shaft	£3.60
Drive Shaft	£3.60
Small End Bush	.70
Parrellel Crank Pin	£5.00
Rocker Arms	£3.75
Rocker Gasket	.25
Mika Washer	.10
Cam Shaft	£4.90 each
Cam Follower	£2.50
Cam Follower Guide	£2.00 each
Idler Shaft	£1.75 each
Rocker Feed Union	.45
Valve Spring Cup	.18 each
Valve Spring Collar	.50 each
Valve Spring Collet	.35 each
Hepolite Forged Pistons STD +10 +20 +30	£8.50
HAGON JAP/ESO Valve Springs	£1.25
Piston Rings — Oil Ring	.50
Piston Rings — Compression STD +10 +20 +30	.34
Lodge RL 49 - 50 - 51	£1.25 each
NJK B9EN and B10EN	£1.25 each
Engine Sprockets 15 to 20	£1.70 each
21 to 26	£1.90 each
Rear Wheel Sprockets 56T/62T	£4.25
Solid Fibre Clutch Plate	£1.30 each
Extra Strong Clutch Springs	.15 each
JAWA 2 speed Gear Box	£65.00 each
Dural Fork Top Plate	£1.75
Data Fork Top	

"Hagon,s"





THE HAGON SANDRACER



THE FAMOUS 1260°C HAGON JAP DRAG MACHINE SHOWN IN ITS 206 M.P.H. TRIM

### **GT & Speedway spares**







For Steel Shoes (per stick) .40 (per lb) £4.00



BIKE STANDS
Alloy Stand (ESO)
Steel Stand (JAP) £2.50 ea.



JAP White Fibreglass
Engine Cover - £2.25



Special Engine Plates As shown ESO Frame/JAP Engine £9.00 Special Plates made to your Pattern.



ROTRAX Fuel Tank Chrome 4-pint with cap £4.75




ROTRAX Chrome
Oil Tank with Cap



ROTRAX Seat - Black 3 bolt fixing £3.25



Fibreglass Rear Mudguard Colours — white — blue yellow — red. £2.75




New Short Fibre Glass Chaincase for Speedway or Grass White, Blue, Red, Yellow. £1.75



Air filter (fits all 900 range) with removable wire mesh gauze held in by circlip. Price £1.25



All alloy 7/8" superfast twist grip 1½ pull with only 80° twist. £3.00



White Fibreglass Dirtshield including Fixing Bracket £2.40

### **GT & Speedway spares**



Chrome Lifting Handle £1.50



Chrome Dirt Shield with Clamps £2.00



Speedway Exhaust Pipe Bracket £0.50



JAP Long Front **Engine Plates** 3-hole Pick Up £2.00.



STEEL TANK Holds 1% gallons. Universal Fitting. Bayonet Cap — ¼ Gas Tap Fitting £6.00



A.C.U. Approved Silencer 134' £2.25



JAWA COUNTERSHAFT £22.50 JAWA Clutch



A special matt black coating gives good heat dissipation. Aerosols .53



Starting Gate ideal all types with tape and rubber



**EXHAUST PIPE CLIPS** 



ROTRAX Countershaft ROTRAX Clutch

£15.50 £19.25



**BLACK RACE SEAT** (Alloy Base) £3.00

Ideal Jnr. Bike or Road Race 50cc/125cc.



HANDLEBARS MADE TO PATTERN

1/8" or 1" Steel or Dural

White Fibreglass Chaincase cutaway



Fibre Glass No. Plates .50 each Self Adhesive Backgrounds

.05



Universal Chain Guide 1¼" Split clamp fixing - £2.50



Blue and Grey.


Blue & Grey Short Seat - £3.50 4 stud fixing.



19

dural - from £9.50 (as shown)


### Bits & Pieces



Aircleaner Complete with Gauze, Hose and Clips - £2.75



Mahle Mk. III Piston for 500cc JAP Valve cutaways for big cam - STD 10/20/40 £9.50



Concentric Carb. Adaptor 2" Centres for 13/8" and 11/4" stub. £2.00 each.




JAP & ESO Engine Sprockets 15T to 20T 21T to 26T £1.70 £1.90



JAWA PISTON (HEP) With Rings & Gudgeon Pin Std + 10 + 20 + 30 Rings only




.34 each





£21.50



Circlip Eng. Nut for JAP.

.60 each



.60 each Alloy Pushrods Needle Roller Conversion for JAP Cam-£1.50 pr. shaft bushes. (Old Bushes need boring to suit)

JAP VALVES & GUIDES Bronze Valve Guides ea.

£2.60 Thin Head Ex. Valve £2.60 Inlet Valve



HAGON VALVE SPRINGS FOR JAP & ESO

> NON **PROGRESSIVELY** WOUND

2 inners 2 outers

Specially made from Swedish wire - gives longer life and valve control at high r.p.m.

Outside diameter - 1 7/16"

Fitted length - 1 5/16" Free length - 2"

AS USED ON OUR 206 m.p.h. JAP

Price £1.25



.95

MANIFOLD

For fitting big carbs on small heads or small carbs on big heads. 65mm to 2" Stud centres. 32mm bore.

Price £2.00



PISTON RING CLAMP

60mm 80mm .40 each

#### SPECIAL SERVICES

Rebore and Hone (Exchange Services) £1.50 (To racing standards) (per cyl.) Head inserting (per seat) Inc. Bronze Guide £5.00 £6.00 Resleeving (per cyl.)

Big end assemblies (Reconditioned to order)

Jap engines and spares JAWA Engines and spares

> JAP ENGINE LIST JAWA ENGINE LIST

### **Racing Plugs**


#### 10 and 14 MM

REACH	RANGE	NGK		CHAMPION		LODGE	
14mm	hot	B-8EN	)	N 62 R	)	RL47	£1.50 each
(Long)	"	B-9EN	)	N 60 R	)	RL49, RL50	)
x		B-10EN	£1.25	N 57 R	.80	RL51	£1.25
	"	B-11EN	each	N 54 R	each	RL52	each
%" reach	cold	B-12EN	)		)	RL53	)
14mm	hot	B-8HN	)	L 62 R	)	R47	£1.50 each
(Short)	"	B-9HN	)	L 60 R	)	R49, R50	)
×	"	B-10HN	£1.25	L 57 R	.80	R51	£1.25
	"	B-11HN	each	L 54 R	each	R52	each
1/2" reach	cold	B-12HN	)		)	R53	)





6VLT Sports Coil Oil Filled £3.25 Standard £2.25




Reconditioned B.T.H. Magnetos Twin as new. From £16.00 (Exchange service available). Guaranteed.



Vibration Proof 6VLT Battery Guaranteed

£2.50



Reconditioned B.T.H. Magnetos - Single From £14.00 (Exchange Service) Guaranteed.



High Tension Lead

Black or White .10 per ft.
P.V.C.



Champion and Lodge Racing rubber plug covers. .25 each

#### SPROCKETS

Part of our range of Sprockets are shown opposite - we can also supply special 'one ofs' to your instructions.


000000	80
	80
0.00000	
00000	

SIZE	DURAL	PRICE
½" × <sup>5</sup> / <sub>16</sub> "	56.58.60.62.64.T (CUB)	£3.50
5/8" x 1/4"	35 to 49T SPEEDWAY J.A.P.	£4.00
5/8" x 1/4"	50 to 62T	£4.25
5/8" x 1/4"	56. to 62T SPEEDWAY JAWA	£4.25
SIZE	STEEL	PRICE
½" × <sup>5</sup> /16"	58.60.62.64.T ) MAG HUB OR	£4.25
5/8" x 1/4"	47 to 51T ) SPEEDWAY JAP	£4.25

### **Hagon BSA**

#### VICTOR & BARRACUDA C15. B40.





#### COMPLETE MACHINE (less Engine) (C15)

Frame Assembly (Diamond, Sub Frame, Swinging Arm, Oil Tank in Frame, Engine Rails, Girling Legs, Nuts and Bolts)

HAGON (C.15) Suitable for 5TA Units (Frame Set - Oil in Frame) HAGON (C.15) Suitable for Villiers Unit (Frame Set) HAGON BULTACO Complete less engine and Ex. Pipe) Ready to HAGON HUSQVARNA " " " " " ) Fit the engines " " " ) straight in. " HAGON MONTESA HAGON TRIUMPH CUB you supply your Cub Diamond which we convert to Hagon CUB!

#### **SPECIFICATION**

Built from best quality materials, this machine can be adapted to accommodate most unit construction engines.

> Weight (with fuel and oil) 195 lbs.

Wheel base 54" Head angle 69°

Oil in frame return system holding 21/2

High tensile 7/8" handlebars.

High level cross over exhaust pipe.

Interchangeable rear wheel sprockets,

Chrome rims.

19" rear wheel 21/23" Front wheel

Standard fitting on all

models.

Fibreglass rear mudguard valanced for numbers.

Right-hand swinging footrest.

Accommodation for battery.

Blue stoved enamel

finish.

#### **BSA ENGINES**

We can now supply Starfire 250cc and Victor 441cc with complete engines machines.

Price on request

PRICES

£150.00

£46.00

£50.00

£50.00 £165.00

£165.00

£165.00

£17.50

#### HAGON BSA COMPONENT LIST


Part No.	Description	Quantity	Prices	Part No.	Description	Quantity	Prices
HB-100	Main Diamond frame (with s/a bushes)	-1	£17.00	HJ-84	Handlebars 7/8", (T45)	1	£2.2
HB-101	Frame oil tank filler plug	1	.40	HJ-85 A	Seat (short) B long £4.50	1	£3.50
HB-102	Frame oil tank drain plug	1	.05	HB-135	Seat bracket, front	1	.70
HB-103	Sub frame	1	£7,50	HB-136	Seat bracket, rear	1	.90
HB-104	Sub frame spacer	1	.50	HJ-88	Rear guard	1	£2.7
HB-105	Sub frame spacer nut and bolt	1	.15	HJ-89	Rear guard 3/8", nut and bolt	2	.1
	Sub frame top fixing nut and bolt	1	.20	HJ-90	Rear guard 1/4", nut and bolt	1	.19
HB-107	Engine rails	2 ea.	£1.00	HJ-91	Rear guard spacers	2	.15
	Engine rail rear frame bolt	1	.40	HJ-92	Rear guard washers •	2	.03
HB-109	Engine rail engine nut and bolt	1	.30	HJ-93 A	Front alloy guard (fibreglass £1.00 [B])	1	.60
	Girling legs - adjustable	2	£8.80	HB-137	Battery carrier (new type)	1	£2.00
HJ-50	Rear units fixing bolts and nuts	2	.40	HJ-94	Front number plate complete	1	.90
HB-111	Swinging arm	ĩ	£8.00	HJ-95	Front plate less clips. Black/yellow/green		
	Swinging arm bushes	2 pr.	.70	1000000	or blue and white	1	.50
HB-114	Swinging arm pivot nut and bolt	1	.40				101
HB-115	Footrest offside complete (new type)	1	£2.50		We reserve the right to vary specifications.		
HB-120	Footrest nearside with brake pedal complete	1	£3.50				
	Footrest nearside	1	£2.50	C15	Clutch lever		£1.10
	Footrest nearside fixing bolt	i	.10	C15	Clutch cable		.60
	Rear brake pedal	1	£1.00	0.0	Ciaten cable		.0.
	Rear Brake pedal pivot nut and bolt	1	.15			290	
	Exhaust pipe — cross over type	1	£4.00				
	Exhaust pipe clips	2 ea.	.20				
	Exhaust pipe trips  Exhaust pipe brackets	2 ea.	.50				
C15	Rear chain (124 rollers)		£4.00				
C15	Rear brake cable		.60				
C15	Rear brake cable stop		.75				
HB-128	Fuel pipe	1 ea.	.60				
	Oil feed pipe	1	.50				
	Oil return pipe	1	£1.50				
	Tank with cap (five pint)	1	£6.50				
	Tank cap	1	.20				
	Tank cap with filter	1	.65				
	Tank tap washer	1	.01				
	Tank tap plug	1	.15				
	Tank fixing lock nuts and bolts	2 ea.	.15				
	Rear chain guide	1	.80				
	Rear chain guide nut and bolt		.15				





HAGON "STROKER" Frame sets are now available! For most two strokes — HAGON CZ (as shown) is only one of the engines that will suit.

The HAGON Husqvarna is yet another of the Hagon range of specials — each special is built with care, perfection, accuracy.



New BSA BATTERY CARRIER fits under seat a must for BARRACUDA for carb. clearance £2.00 New C15 Right hand footrest

2 Footrest £1.75 3 Hinge spacer .25

4 Hinge spacer bolt .15
5 Fixing bracket .40
6 Fixing bracket bolt .05

£2.50

6 Fixing bracket bolt Footrest Assembly complete 500

BSA C25 and B25 also TRIUMPH TR2 25W.


DECOKE SET ENGINE SET COPPER HEAD

**GASKET ONLY** 

.75

.50

### **BSA C15**



The BSA Cylinder Head Conversion consists of opening the inlet port to  $1\frac{1}{8}$ " fitting a larger inlet valve, recutting the valve seats -New Exhaust Valve - and two bronze valve guides. Sandblast cleaned.

**EXCHANGE** SERVICE

Price

£10.50




C15/250 Decoke Set .50 .75 C15/250 Engine Set Head Gasket only



C15/B40 Barracuda/Victor 1/2" Pitch

Final Drive sprockets 16T and 17T.



High Compression Piston for Barracuda CR 13/1 £6.50



C15/B40 Alloy Cam Gear

#### £4.00

BARRA	CUDA PARTS	4
Inlet Valve		£1.00
Exhaust Valve		£1.25
Bronze Guides	ea.	£1.00
Alloy Pushrods	ea.	.75



£2.00



HAGON Mag Conversion as shown inc. £35.00 New Magneto



THE Hagon - BSA - Comes absolutely complete less only the engine. All cables, chain, ex. pipe etc., - PRICE £150.00 C15 Type Frame will also take B40 Victor & Barracuda

PLEASE STATE WHICH ENGINE YOU WILL BE FITTING

### **BSA-C15-250**


#### BSA.C15.250 HIGH PERFORMANCE ENGINE SPARES.







10-1 C15 Piston Std. 20 30 40 60 o's £3.50




#### C15/B40 FLYWHEELS


Fitted with Roller Big
End Assembly – trued
and ready to use.
Exchange Service –
from £7.00

#### TIMING SIDE NEEDLE ROLLER CONVERSION

Needs no special fitting or special tools. Fits straight in. £5.00



Modification to Distributor (C.15) and fit new Points		£1.50
C.15 Rotor Spacer		.25
Iron Barrels turned down (50 thou, off the base)		£1.50
Rebore and Hone Barrel (Exchange Service)		£1.50
Bronze Valve Guides (std. & oversize)	Each	.75
Valves - Exhaust (inlet £1.00)	Each	£1.25
Gasket Sets (C.15) Engine Set		.75
" " Decoke Set		.50



HAGON	"High	Lift"	C. 15	5/B.40 Spe	cial Cam.	£6.50	
Inlet				BTDC	STA	TE WH	FN
	Closes	:-	68°	ABDC	ORI	DERIN	G
Exhaust	Opens	:-	78°	BBDC		OR	5
	Closes	:-	38°	ATDC		IE TYP	1
Val	ve Lift				Ca	m Lif	t
Inlet	:- 3	380"			Inlet	:	367.


Exhaust :- 357"

340.

Exhaust :-

### <u>Hagon-Dragsters</u>

#### A65 AND TRIUMPH UNIT CONSTRUCTION



REAR WHEEL Mag. Hub 17 mm K/O Spindle Disc Brake Operating on sprocket—or can be used without brake — 18" slick — WM3 Alloy Rim.

#### SPECIFICATION

These machines have been developed by us from practical experience, over the past 9 years, now widely used in the U.S.A. Weight approximately 200 lbs. complete. Wheelbase 59" H/Angle 61°. 18 x 200 Front wheel Racing Ribbed type. 18 x 400 Rear wheel slick. Alloy rims. FUEL TANK in top tube. OIL TANK in Saddle tube. Return system. (Includes Cables, Number Plate, Chain etc).

Will incorporate most engines

PRICE (as shown) £185.00 Frame Ass. (Only) £68.00

FRONT WHEEL Campagnolo Alloy Hub

— 12 mm K/O Spindle 18" Alloy Rim
Dunlop 200 or 250 Racing tyre.

Spool Hub (No Brake) if required.

PRICE


#### HAGON JAP REPLICA

A Replica frame assembly of the Famous 1260cc HAGON JAP, is now available to suit most engines. FEATURING Twin Top Tubes from Steering head to Rear Wheel Spindle ensuring maximum rigidity under acceleration. Oil tank in seat tube —Alloy screwed filler plug delivery and return oil system with breather and drain plug incorporated — Dural Engine Plates. T45 Tube. High tensile nuts and bolts. Stove enamel finish.

HAGON REPLICA — Frame Assembly (Steel Tube Seat Extra £5.00) — (As shown)



#### MAKE THIS A STARTING POINT FOR YOUR NEW DRAG BIKE



THE HAGON JAP REPLICA

#### COMPONENTS

COMPON	ENIS	
Frame Assembly with Tube	Seat	£65.00
Forks with Clip-ons etc.		£18.00
Front Wheel 18" Alloy Rin Campagnolo Hub Brake		£21.50
Front Wheel 18" Alloy Rin Mag Hub - No Brake	1	£17.25
Rear Wheel 18" Alloy Rim		
Mag Hub		£22.75
Rear Wheel Spindle 17mm Incorporating Footrest		£2.50
Alloy Nuts	Ea.	.20
Spacers (Chain Adjuster)	Ea.	.50
Spacer (Long)		.50
Caliper Bracket (Drag)		£5.00
Brake Pedal and Link		£5.00
Gear Change Pedal & Link		£3.50
BIKE AS SHOWN OPPOSIT	ΓE	£155.00

### **Dragster Parts**

**DUNLOP FRONT** 

KR6 - 200 x 18 KR76 - 250 x 18

Avon Slick 400 x 18

Each

REAR TYRE



SLICK KR76 RR6

Alloy nose cone tank 5 pint capacity, weighs 1%lbs. Alloy screwed filler, ¼ gas feed and vent unions. Complete as shown £10.50

£6.50 £7.90

£17.00

£1.25

#### Your kit form Dragster could look as good as this HAGON TRIUMPH DRAGSTER

Many riders enjoy the job of assembling the Drag Bike to their own liking - adding various ideas and special parts to make the bike individual. The bike shown is blown, via twin V/Belts – using C75 Blower with 1%" Injector. AMC G/Box with our Special Clutch parts. Reconditioned B.T.H. Magneto supplies the sparks. Many of the parts will fit your DRAGSTER - so come and see us or write for Technical Information. Please send S.A.E.

#### TRIUMPH ENGINE PARTS



TRIUMPH 650 (High Performance Parts) Valves In £1.50 Ex. £1.50 Bronze Guides In £1.10 Ex. £1.20 Nimonic Exhaust Valve £3.00



14 mm. BLANKING OFF PLUGS These components are used for blanking off the original Spark Plug Hole when Central Plugs have been fitted.

%" reach manufactured from high tensile Dural with broached hole for Allen key to facilitate easy fitting. PRICE: .85


#### DRAGSTER PARTS & ACCESSORIES

HAGON NOSE CONE

The finishing touch to your Drag Bike. Can be used as just a Small fairing or Fuel tank can be fitted in the nose giving correct fuel surge.

Weights only 3 lbs.

less Fittings and Screen. Price £6.50 White/Blue/Yellow/Black/Red/Green. Perspex Screen £1.00





"MIRAGE" 1969 Middle Bike Drag Race Champion



TRIUMPH set of three (Unit) £9.50 ALLOY TIMING GEARS (4) TRIUMPH (Sold Separately) £13.00







TRIUMPH 650 cc 11/1 PISTONS Std + 10 + 20 + 40 + 60 £7.00

**DURAL ROCKER BUTTONS (plain &** offset)

Both plain and offset buttons are one third of the weight of the original The offset button gives component. approximately 0.020" extra valve lift. 4........................90 Plain

Offset

4......50

**DURAL PUSH RODS** 

TRI 650 & 500 Twin 32B £3.00 set 4 250 RANGE £1.50 pair BSA 32L BARRACUDA 32E £1.50 pair

### KIDS CORNER

WITH THE POPULARITY OF JUNIOR MEETINGS, WE HOPE TO INCREASE OUR RANGE OF PARTS AS WE PROGRESS — BUT WE CAN OFFER SOME PARTS FROM STOCK

LEE BIRD AND MARTIN HAGON ON THEIR JUNIOR HAGONS



PEEKS
HELMETS
GLOVES
STEEL SHOE
GOGGLES
TYRES
TUBES
CABLES
Jnr. G.T. FORKS
RIMS



ACU APPROVED HELMETS CENTURION G.T. ACU.BSI. APPROVED.

Colours: Red, Yellow, Orange. Sizes: 1. 6.5/8" x 6.3/4"

2. 6.7/8" x 7" 3. 7.1/8" x 7¼"

Size 1. Ideal for Juniors.

Price: £6.50

THERE ARE VERY MANY PARTS IN OUR CATALOGUE THAT CAN BE USED ON YOUR BIKE, MUDGUARDS, SEATS, LEVERS, NUMBER PLATES AND Nos., HANDLEBARS, CHAINS, FUEL PIPES AND FITTINGS — OR IF YOU WISH, WE COULD MAKE YOU A "SPECIAL" G.T. MACHINE, SO GET MUM AND DAD AND COME ALONG AND SEE US.

### CEAT TYRES



Motocross CRP 14 325/350 x 16 £6.00



Motocross MCR 250 x 17 £4.50 300 x 17 £5.50 250 x 19 £4.75



250 x 19 £4.50

FULL RANGE OF RIM TAPES, TUBES, SECURITY BOLTS ETC.

#### SIDECARS-BLOW & GO

WHY NOT SUPERCHARGE YOUR G/T OUTFIT? INCREASE OF POWER UP TO 50% — MOST PARTS FROM STOCK. MANY OF YOU WILL BE WANTING TO "BLOW", SO WE OFFER YOU "A BASIC FORMULA" FOR THIS PROJECT.

AS THE MAJORITY OF OUTFITS ARE TRIUMPH POWERED WE WILL USE THIS AS AN EXAMPLE. BUT BASICALLY THIS TUNE APPLIES TO MOST ENGINES Try us for your competition tyres —
"Most sizes in stock"
Dunlop Sports K86, 460 x 18" £9,75



#### **ENGINE SET UP FOR SUPERCHARGING TRIUMPH 650**

We recommend Shorrock CB75 driven by twin V belts at approx. engine speed. Racing type cams E3134 or Summerton, will give good results, The overlap will help keep piston, and ex valve, cool. STD9 Stud Valve sizes will be adequate, if anything, fit larger ex.about 8 to 1 Pistons. Standard Mag timing 38 to 40. Ignition system must be 100% to cope with the higher cylinder pressures, blow off valve to be fitted between blower and cylinder head, this prevents damage to blower in the event of engine backfire when starting. Make manifold as simple as possible. Slide type carbs CANNOT be used as slides will not shut under suction, we find that Wal Phillips fuel injectors will give good results.

### A.R.E. Triumph 750 Zip Kit


### 

#### SPECIFICATION

Cast from heat treated alloy, is 10lb lighter than standard iron barrel. Pistons are dye cast and have 2" cutaway to enable oversize valves to be fitted.

Standard PISTON size 2.975" +10 +20 +40 +60 oversize available. Compression ratio 9.5 to 1 or with thin head gasket 10.5 to 1. Pistons are only slightly heavier than STD therefore crankshaft does not need rebalancing.

Fits all 650 Triumph engines providing 9 stud head is fitted PRICE £42.50 (as photo)



MONZA CAPS 2" £2.75 2½" £3.25



56 PAGE BOOK MANY HELPFUL HINTS AND TIPS .40


VARIOUS PARTS. (Long Nylon Cables 6ft. .80ea Clutch and Throttle) per stick Brazing Rod .05 per lb. .60 Flux (small packet) .25 Dural - Special Engine Plates made to pattern SUSPENSION UNITS WHEEL BUILDING CLOTHING MAGS REPAIRED RENOLDS CHAIN RACING PLUGS **FUELS & OILS NUTS & BOLTS PISTONS** CONTROLS FUEL PIPE & FITTINGS



TRIUMPH Main Be	earings
Ball	£1.50
Lipped Roller	£3.25
Triumph Alloy	
Mag Gear	£4.00

3/8"	18G	G (Just a few CDMS	Price per ft20
1/2"	17G	T45	.35
3/4"	14G	CDMS	.25
	14G	T45	.50
7/8"		T45	.50
1	17G	Part of the second	
1"	12G	CDMS	.40
1.1/8"	14G	CDMS	.35
1.1/4"	14G	T45	.65
1.3/8"	14G	CDMS	.45
1.1/2"	14G	T45	.75
2"	16G	CDMS	.55
2.1/2"	16G	CDMS	.75
3"	16G	CDMS	.95

### **Tuning Parts**



TWIN PULL 7/8" Q/A grips £1.90 %" Q/A grip £1.00



SINGLE PULL




SINGLE PULL 1" very Q/A grip £2.25



SINGLE PULL 7/8" Nylon grip Q/A £1.00

#### **ROCKER FEEDS** - FINNED POLISHED ALLOY

OS 14 Triumph oil feed Pre Unit 500cc and 650cc OS 19 Triumph 1963 onwards 650cc. Price £2.00





#### TRI E3134/E4819 CAMS

Timing at .020 Tappet Clearance Inlet Opens 34 BTDG Inlet Closes 55 ABDC **Exhaust Opens** 55 BBDC **Exhaust Closes** 34 ATDC Price £4.00 each

#### SOMERTON CAMS


Timing at .020 Tappet Clearance Inlet Opens 45 BTDC 75 ABDC Inlet Closes **Exhaust Opens** 75 BBDC Exhaust Closes 45 ATDC Price £7.00 each



1¼" Split Clip-ons for Hagon Forks £2.90

Nylon Lined Cables .60 each Front Brake Throttle Clutch Universal Fitting.

Allen Screw Sets BSA C15 Primary Case .75
Timing Case TRIUMPH TWINS Primary Case Timing Case Price .50 per set :





1/8" LEVERS - Ball ended Steel .80 each/Alloy £1.75 each


Finned Alloy Contact Breaker Cover for Triumph/

Highly polished Alloy Casting. This cover gives a finishing touch to the machine



effective cooling. Incorporates a magnetic drain plug.

To suit TRIUMPH ... All Pre-Unit Construction Models. £1.50



#### FREE LENGTH 1 11/16" TYPE "A" SPRING

LENGTH	POUNDS	LENGTH	POUNDS
1 <sup>3</sup> / <sub>8</sub> 1 <sup>5</sup> / <sub>16</sub> 1 <sup>1</sup> / <sub>4</sub> 1 <sup>3</sup> / <sub>16</sub>	65 80 96 115	1 <sup>1</sup> / <sub>16</sub> 1 1 5/ <sub>16</sub> 7/ <sub>8</sub>	150 170 190 220
1 1/8	130	13/16 C	OIL BOUND.

Instructions for installation of type "A" spring

These outer springs are progressively wound and it is very important that they are installed in the correct manner.


Place the end of the large spring with the tight coils next to the cylinder head. The inner spring is placed inside the outer.

**CAUTION:** When valve is on the seat, the overall length of the outer spring should be 1  $^{5/1}6''$ . The inner spring should be .090 less than the outer. If the length is greater than stated, pack to the recommended length.

In some cases top and bottom valve spring collars will have to be turned to suit springs. O.D. of outer spring 1%".

**SET FOR TWINS** SET FOR SINGLES £8.00 £4.00

#### S & W VALVE SPRING CHART



All material is special aircraft quality wire which is drawn oversize and then ground to the proper size for winding.

Each spring is then pressure checked for load. Tolerances are held to plus or minus 21/2%.

**Shorrock Supercharger** 

Is the quickest, simplest and surest way of extracting more power from small capacity engines.


Atmospheric tuning for performance, that is, by the use of modified carburation, cylinder head, camshafts, etc., usually produces increased power at the cost of increased engine R.P.M. and loss of bottom end power. Shorrock supercharger installations on the other hand can produce up to 50% more power without substantially increased r.p.m. as well as vastly improved bottom end performance, and torque, throughout the normal rev. range.

C.75B for engine capacities ranging from 500 - 1200

.20 Shorrocks Booklet

Supercharging Cars & Motor cycles by M. Brierley

The rotation of the blower can be reversed by dismantling and turning the centre section through  $180^{\circ}$ .





#### C75B C142B Pressure Release Valve and Stud

Belts (A26 to A39) (various sizes) 2" to 5" Pulleys (alloy)

Twin V section (1/2" to 21/2")

PRICES

from

.10

£68.50 £88.50

£2.00


.60 each

From £1.50

Hose Clips


Rubber hose 13/8" to 21/4"

In Stock



### Wal Phillips **Fuel Injection**


AS USED ON OUR 200 M.P.H. DRAG BIKE.



All units up to 114" have flanges with 2" centre stud holes Note: -51/2 inches clearance between Intake manifold and nearest obstruction (usually the frame) is necessary to accept injectors up to 11/4 inch bore. 61/2 inches for units 13/8 inch and larger.

1in, 11/16in, 11/8in, 13/16in. 11/4"...... £12.00 £17.00 2in. to 3in. To order only . . . . . . . . . . . . £25 00 (Prices subject to alteration without notice)


Full tuning instructions are supplied with every instrument. Special dope jets .65 extra




### **Carburetters**



ALLOY MANIFOLD SPACER



BELL MOUTHS



A. Steel (Chrome) B. Alloy

) .65 each PRICE £1.25 C. Short Alloy for Air Filter )

AMAL G.P. Carbs (in matched pairs)  $1^{5}/_{32}$ " bore, control cables and

junction box £22.

	MAIN	J E T S NEEDLE		PETROLSETTINGS SLIDES No. 2, 2½, 3, 3½, 4, 4½, 5.
SETTINGS FOR ROAD USE Most 250 Four Stroke Single Cylinder Machines and 500 Twins with one or two	Main jets may need increasing slightly depending on cams, ports, pistons, etc.			Always start with slide needle in middle position. Slide cutaway affects pick-up. BLACK SMOKE FROM EXHAUST = TOO RICH
carburettors  Most 350 Four Stroke Single Cylinder Machines and 650 Twins with one or two	200	106	25	REMEDY: Fit slide with more cutaway.  SPITTING BACK THROUGH CARB. = TOO WEAK REMEDY: Fit slide with less cutaway.
carburettors  Most 500 Four Stroke Single Cylinder Machines	220	106	25 25	ADJUST PILOT AIR SCREW IN CONJUNCTION WITH THE SLOW RUNNING SCREW TO OBTAIN SMOOTH TICKOVER.
SETTING FOR METHANOL Most 250 Four Stroke Single Cylinder Machines and 500 Twins with one or two Carburettors Most 350 Four Stroke Single	460	120	25	METHANOL SETTINGS  Always start with special tapered slide needle (Z) in middle position.  Slide cutaway affects pick-up.  Eight stroking denotes – TOO RICH REMEDY: Fit slide with more cutaway.
Cylinder Machines and 650 Twins with one or two carburettors	500	120	25	Bad pick-up denotes — TOO WEAK REMEDY: Fit slide with less cutaway. On machines with return oil system, fuel in the oil denotes — EITHER — too big a main jet or slide too rich.
Most 500 Four Stroke Single Cylinder Machines	600	120	25	If the engine overheats — Main or needle jet is too small.  Pilot air screw — Screw in Fully — then back off % of a turn.

#### LET US SUPPLY AND SET YOUR NEW 900 & 1000 CONCENTRIC



DELORTO FUEL PUMP Vacuum Operated from Crankcase — All that is needed is a Pipe from Crankcase to Pump.

PRICE £4.50


### Castrol

CASTROL	R40	1 GALL	£2.00
CASTROL	R40	1 QRT	.50
CASTROL	M.	1 GALL	£2.50
CASTROL	M.	1 QRT	.64


We recommend Castrol R.

ATT.		
Nitromethane	English ½ Gallon	£5.00
	English Gallon	£9.00
	5 English Gallons	
	in Drum	£38.00
Methanol per Gallon (Loose)		.65
" " !	5 Gallons "	£2.80
NITROMETH	ANE MIXES	
50% Meth !	50% Nitro	£5.00
75% Meth 2	25% Nitro	£2.50
SOLVOL 'R'4	0	
Solvol R40	I Gall.	£1.80
Solvol R40	l Qrt.	.48
Solvol Grease	1 lb. tin	.20

### **Carburetters**



When ordering parts for 900 concentric carburetters please state the illustration no. of the item required.






NYLON REINFORCED FUEL PIPE .10 per ft, '4" and 3/16"



AMAL 928 930 932 Modified for Methanol





AMAL Matchbox Remote Float Very slim twin outlet £7.00

DELORTO Remote Float Chamber SS1 large £7.75 SS2 small £6.75


NYLON CONTROL CABLES Anti friction cables for only . . . 60 each


THROTTLE - CLUTCH - FRONT BRAKE - UNIVERSAL FITTING. NOTE: When ordering carburetters please state the following:- Petrol or Methanol, Make, cc of engine, No. of cylinders, etc



THE BIG ONE! 1000 RANGE 1034 – 34 MM 1036 – 36 MM 1038 – 38 MM (NO AIR SLIDE OR VENTURI) Petrol version £11.50 Methanol version £12.00

> CONCENTRIC GASKET SET AS SHOWN .20





### GIRLING Suspension Units OFFICIAL DISTRIBUTORS


#### HIGH PERFORMANCE UNITS AVAILABLE FOR PRACTICALLY EVERY MACHINE

WHETHER ITS FOR ROAD, TRACK, SOLO OR COMB. GIVE US A TRY AND YOU WON'T GO WRONG.

PLEASE STATE MAKE, MODEL, YEAR, & C.C. OF MACHINE



SPECIAL Racing TYPE UNITS (Balanced) Chroms multi rate springs short chrome top cover £10.50 pair



Chroms Springs Spring from Top Covers Top Covers Bottom From £1.90 each .70 each

Standard .88 each

Chrome £1.50 each

Chrome Cover £1.00 each


Short Top Chrome Cover £1.00 each



Standard Girling From £8.80 pair As Shown



Steel Circlips (4) .20





Stearing Damper Fully Extended 11%" Compressed 71/2" Price £4.75 each.



Bushes From .25 5/16" 3/8" 7/16" 1/2" -10mm and 12mm Length from %" to 1.1/8"



Chrome Adjuster Spanner, Fits old and new type units. Price .20



Dampers (adjustable) (Sold in pairs) 10.9 to 15.9 From £6.00

GIRLING SUSPENSION UNITS assembled to your requirements. This service is unique, you tell us your problem, and we will help you to solve it.

All we need is a few basic facts

- Weight of Machine
- C On what type of machine
- Bush Sizes, top and bottom

- Length of Unit required В
- Solo or comb.
- Weight of rider/s

Units range from 10.9 to 15.9 and we can supply springs from 60lb up to 200 lbs -Price start at £8.80

### **Tools**

#### ALL TOOLS ARE OF GOOD QUALITY





BAKERS SOLDERING FLUID .25

OIL CAN WESCO JNR.

MULTICORE SOLDER IDEAL FOR CABLES ETC.



Burrette - (Glass) 50cc. £1.80 each



FEELER

Gauge .25

MAG.

.20

CIRCLIP PLIERS Combined Internal

and External £1.25

Spanners Pullers

UNIVERSAL

£1.25

14MM Plug Spanner .25

Prices 1/2" x 5/16"

5/8" x 1/4"

5/8" x 3/8"

Spring Link

Cranked Link .21


.77

.90

.90

.13

RENOLDS CHAIN







.15 per tupe.



ALLOY MUDGUARDS Front, 4" Price £1.25 Rear 5" £1.50



Large .40 (Black only) Small .10 Yellow, blue red, and green. 6lb. to 50lb. Tyre Gauge .50 each







.31 .10 each

CYL HEAD HOLDING TOOL .60 each

VALVE GRINDING TOOL .15 each



HOSE CLIPS 1/2" to 23/8"





### Clothing WHEN ORDERING WHERE APPLICABLE.

#### WHEN ORDERING PLEASE STATE SIZE AND COLOUR



HAGON LEATHERS - One piece fully lined. Padded with pocket. Brass zip. White strips on sleeves. Colours: Light Blue, Dark Blue, Maroon, Dark Green. Sizes S, M, L. PRICE: £30.00



THROTTLE GUARDS the perfect answer to blistered thumbs. Designed to fit firmly onto throttle to prevent rubbing and abrasion. Two stitched rings of soft leather enclosed foam pad, acting as a cushion. Available in all colours. Price .25 pair.



WRIST STRAPS

support £1,25 pair

WRENS LEATHER OIL keeps all your leather racing gear supple.

ZIP GLOVE unlined - £1.25 Small Med Large Suitable for all


motor cycle sports

FULL FACE MASK complete cover-up protection against chippings, cinders, mud. Ideal for all forms of rough riding. Shamois lined, Designed to fit inside or outside helmet, and secured by two strong elastic straps. Available in all colours. £1.50 Strong leather, helps give wrist




OVERALLS - With pockets, elasticated cuffs and ankle grips. Colours: Blue, Black, Green, Red. Sizes S, M, L. Black, Green, Red. Sizes S PRICE:

HAGON LEATHERS - Two piece. Black only. Padded. Two pockets. Brass zips. Fully lined. Sizes S, M, L, Extra Large. PRICE: £30.00








P.V.C. PEEKS, BLACK and WHITE. Fits most Snap-on by press studs. PRICE: helmets.



**ELASTIC STRAPS** S.1. Footrest strap .15 S.2. Small Luggage strap ..... S.3. Medium luggage strap ..



LEATHER FACE MASK - Black leather




GAS GOGGLES a pair .03





UNLINED LEATHER GLOVES. Elastic wrist grip - S, M, L. PRICE: £1.75



### **Clothing**

#### ALL A.C.U. RACE APPROVED



#### RACING LEATHERS


Large — Medium — Small.
Fully Lined. Brass zips.
Pocket — reinforced.
£27.50
(Fantastic Value)
(Black)




STONESTOPPING LEATHER FACE MASK Ideal for G.T. Racing or Speedway, made of high quality black leather, adjustable strap. .75



Canvas Belt 9" wide 4 Straps – sizes 28" to 38"





RACING BODY BELT

As used by many Star Riders, quick fastener, fully adjustable. £2.50 Colours: Brown, Black, Blue.



Steel Shoe made to order Completely Colmonoyed base (Send boot) £4.75

ALF HAGON STONE STOPPING LEATHER RACING GLOVES

with protective rubber strips Small, Med, Large £2.25



FRANK BOOT Good quality Long Leather Boots, Zip Back — (unlined) £7.50



HAGON T Shirt Medium & large .60



HAGON Lapel Badge .50 Blue & Chrome.



Anti Mist Goggles Crushproof .75 (200 MPH tested) Plain or tinted lenses. .15 each



A.C.U. Approved B.S.I. Everoak Racemaster All sizes, silver £6.75



EVEROAK (Grand Prix) A.C.U. B.S.I. The best you can buy. As used by ALF. £13.25



"HAGON" CLOTH BADGE. 4" x 2" blue and white. Ideal for jacket, leathers etc. .60 each.



White Plastic Peaks. Adjustable .50

### **Borrani Alloy Rims**

#### BORRANI ALLOY RIMS (Depressed)

Undrilled 16", 17", 18" and 19"
WM3 extra
Undrilled 20" and 21"
Undrilled 22" and 23"
Drilling Extra
Dunlop Chrome Steel Rims 16 to 19
Dunlop Chrome Steel Rims 21, 22, 23

#### WHEEL BUILDING (Inc. Spokes & Rim)

With Borrani 23" and 22"
With Borrani Alloy Rim 20" and 21"
With Borrani Alloy Rim
(16", 17", 18" and 19")
WM3 Rims — Extra

#### WHEEL BUILDING (Inc. Spokes)

With Steel Chrome 21", 22", 23" Rims With Steel Chrome 19", 18", 17", 16" Rims

Wheel Build (Inc. Spokes) (Customers own Rim and Hub) Brake Drum Skimming Postage and Packing per Wheel Boxed (less Tyre)

#### PRICES

£5.50 .50 £6.00 £6.50 .75 £3.00 £3.00

> £10.75 £10.25


> > £6.50 £6.50

.50

£3.50 £1.50

#### SERVICE

SPECIALISED WHEELBUILDING





**GRASS** 




ROAD RACER

BORRANI RIMS
- 16" to 23"
WMO to WM3
36 and 40 Hole in stock.



SPEEDWAY



RIM WIDTHS

WM3 WM2 WM1 WM0 3" 2½" 2½" 2" Please remember to state width when ordering



SPOKE KEY .20



SCRAMBLES

## SECURITY BOLTS WM3 WM2 WM1 .30 each

NOTE USE OUR ORDER FORM ON THE OPPOSITE PAGE.
SEND FULLEST DETAILS.

#### SANDBLASTING!

WHY NOT HAVE YOUR ALLOY HUB SAND- BLASTED BEFORE WE BUILD YOUR WHEEL YOUR HUB WILL LOOK LIKE NEW For only £1.00



Dunlop Wheel Balancing Weights

Self-Adhesive

% oz. (14 grammes) % oz. (21 grammes) 1 oz. (28 grammes) .10 each

WE SPECIALIZE IN ALL FORMS OF WHEEL BUILDING AND REPAIRING — FROM ROAD USE TO WORLD RECORDS. YOU CAN RELY ON OUR SERVICE WITH CONFIDENCE.

WHEELBUILDING IS A SPECIALIST JOB — SO DON'T TAKE CHANCES.

BRING YOUR WHEELS TO US!